

MGX-3766

2.3 mil White BOPP ID / Removable / 8pt Tag 0-Split 20.75" x 29.5"



Facestock: 2.3 mil White BOPP



Adhesive: Removable



Liner: Tag 0-Split

DESCRIPTION:

MGX's 2.3 mil white BOPP film, featuring a 50% gloss level, offers exceptional whiteness and opacity. With high machinedirection stiffness and tensile strength, it ensures superior high-speed label dispensing. The specialty clear acrylic adhesive provides good initial removable tack, excellent clarity, and minimal cold flow. It is removable on various substrates, including corrugated and many plastic surfaces. The film comes with a 100# tag liner, silicone-coated on one side for controlled release, and has exceptionally high internal strength for enduring conventional processing operations like diecutting, perforating, fanfolding, and refolding.

APPLICATIONS:

Window Decals • Stickers • Window Signage

	Physical Properties	Measure	Value
FACESTOCK	Caliper	mils	2.3
	Tensile MD	lb/in	20000
	Tensile CD	lb/in	35000
	Opacity	%	89.0%
	Regulatory Compliance	CA Prop 65, RoHS, REACH, CPSIA, TPCH, Indirect Food	
ADHESIVE	Туре	Removable Acrylic	
	Shear		110 min.
	Minimum Application Temperature	°F	40°F
	Service Temperature	°F	-65 °F to 150 °F
	Typical Adhesion - Stainless Steel	180° Peel	4.7 lb/in
	Typical Adhesion - Stainless Steel	Loop Tack	1.70 lb/in ²
	Typical Adhesion - Glass	180° Peel	3.0 lb/in
	Typical Adhesion - Polyethylene	180° Peel	1.4 lb/in
	Typical Adhesion - Corrugated	180° Peel	3.2 lb/in
	Typical Adhesion - Painted Metal	180° Peel	4.5 lb/in
	Regulatory Compliance	CA Prop 65, RoHS, REACH, CPSIA, TPCH, Indirect Food	
LINER	Caliper	mils	8
	Tensile MD	lb/in	70
	Regulatory Compliance	CA Prop 65, RoHS, REACH, CPSIA, TPCH	

Product Performance and Suitability Disclaimer: All information, recommendations and suggestions contained herein, including, without limitations, stated values (collectively the "Information") shall be used only as a guide by Purchaser and not for specification or any other purpose. The Information does not constitute a warranty nor guaranty of any type whatsoever. Purchaser should independently determine the suitability of all material purchased and must confirm adaptability and other characteristics by conducting its own test. MGX shall have no liability as a result of any loss, expense, damage, cost or other injury which results from Purchaser's reliance on the Information.